WEST Search History

10/797,366

Hide Items Restore Clear Cancel

DATE: Tuesday, December 19, 2006

Hide?	Set Name	Query	Hit Count
	DB=USP7	r; PLUR=YE	S; OP=ADJ
	L16	6965015	1
	L15	6965011	1
	L14	6946262	1
	L13	6894148	1
	L12	6878807	1
	L11	6852848	1
	L10	6828146	1
	L9	6818746	1
	L8	6818449	1
	L7	6806352	2
	L6	6767995	1
$\cdot \square$	L5	6723535	1
	L4	6686451	· 1
	L3	6664376	1
	L2	6635468	1
	L1	09907794	0

END OF SEARCH HISTORY

ALIGNMENTS

```
RESULT 1
A59180
Wnt inhibitory factor-1 - human
C; Species: Homo sapiens (man)
C;Date: 18-Feb-2000 #sequence_revision 18-Feb-2000 #text_change 09-Jul-2004
C; Accession: A59180
R; Hsieh, J.C.; Kodjabachian, L.; Rebbert, M.L.; Rattner, A.; Smallwood, P.M.; Samos, C
Nature 398, 431-436, 1999
A; Title: A new secreted protein that binds to Wnt proteins and inhibits their activiti
A; Reference number: A59180; MUID: 99215557; PMID: 10201374
A; Accession: A59180
A; Status: preliminary; not compared with conceptual translation
A; Molecule type: mRNA
A; Residues: 1-379 < HSI>
A;Cross-references: UNIPROT:Q9Y5W5; UNIPARC:UPI0000051058; GB:AF122922; NID:g4585369;
                     99.7%;
 Query Match
                           Score 2142; DB 2;
                                             Length 379;
 Best Local Similarity
                     99.7%;
                           Pred. No. 1.2e-142;
 Matches 378; Conservative
                           0; Mismatches
                                              Indels
                                                         Gaps
                                                                0.;
                                                      0:
          1 MARRSAFPAAALWLWSILLCLLALRAEAGPPQEESLYLWIDAHQARVLIGFEEDILIVSE 60
Qу
           1 MARRSAFPAAALWLWSILLCLLALRAEAGPPQEESLYLWIDAHQARVLIGFEEDILIVSE 60
Db
         61 GKMAPFTHDFRKAQQRMPAIPVNIHSMNFTWQAAGQAEYFYEFLSLRSLDKGIMADPTVN 120
Qy
            61 GKMAPFTHDFRKAQQRMPAIPVNIHSMNFTWQAAGQAEYFYEFLSLRSLDKGIMADPTVN 120
Db
        121 VPLLGTVPHKASVVQVGFPCLGKQDGVAAFEVDVIVMNSEGNTILQTPQNAIFFKTCQQA 180
Qy
            121 VPLLGTVPHKASVVOVGFPCLGKODGVAAFEVDVIVMNSEGNTILOTPONAIFFKTCLOA 180
Db
        181 ECPGGCRNGGFCNERRICECPDGFHGPHCEKALCTPRCMNGGLCVTPGFCICPPGFYGVN 240
Qy
           181 ECPGGCRNGGFCNERRICECPDGFHGPHCEKALCTPRCMNGGLCVTPGFCICPPGFYGVN 240
Db
        241 CDKANCSTTCFNGGTCFYPGKCICPPGLEGEQCEISKCPQPCRNGGKCIGKSKCKCSKGY 300
Qу
            241 CDKANCSTTCFNGGTCFYPGKCICPPGLEGEQCEISKCPQPCRNGGKCIGKSKCKCSKGY 300
Db
        301 QGDLCSKPVCEPGCGAHGTCHEPNKCQCQEGWHGRHCNKRYEASLIHALRPAGAQLRQHT 360
Qу
           301 QGDLCSKPVCEPGCGAHGTCHEPNKCQCQEGWHGRHCNKRYEASLIHALRPAGAQLRQHT 360
Db
        361 PSLKKAEERRDPPESNYIW 379
Qу
           361 PSLKKAEERRDPPESNYIW 379
Db
```

<!--StartFragment-->

```
<!--StartFragment-->RESULT 1
WIF1 HUMAN
ID
     WIF1 HUMAN
                    STANDARD;
                                   PRT;
                                          379 AA.
     Q9Y5W5; Q6UXI1; Q8WVG4;
·AC
DT
     11-JAN-2001, integrated into UniProtKB/Swiss-Prot.
DT
     15-MAR-2005, sequence version 3.
DT
     07-MAR-2006, entry version 45.
DΕ
     Wnt inhibitory factor 1 precursor (WIF-1).
GN
     Name=WIF1; ORFNames=UNQ191/PRO217;
os
     Homo sapiens (Human).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini; Hominidae;
OC
     Homo.
OX
     NCBI_TaxID=9606;
RN
     [1]
RΡ
     NUCLEOTIDE SEQUENCE [MRNA] .
RX
     MEDLINE=99215557; PubMed=10201374; DOI=10.1038/18899;
RA
     Hsieh J.-C., Kodjabachian L., Rebbert M.L., Rattner A.,
RA
     Smallwood P.M., Samos C.H., Nusse R., Dawid I.B., Nathans J.;
RT
     "A new secreted protein that binds to Wnt proteins and inhibits their
RT
     activities.";
RL
     Nature 398:431-436(1999).
RN
RP
     NUCLEOTIDE SEQUENCE [LARGE SCALE MRNA].
     MEDLINE=22887296; PubMed=12975309; DOI=10.1101/gr.1293003;
RX
RA
     Clark H.F., Gurney A.L., Abaya E., Baker K., Baldwin D.T., Brush J.,
     Chen J., Chow B., Chui C., Crowley C., Currell B., Deuel B., Dowd P.,
RA
RA
     Eaton D., Foster J.S., Grimaldi C., Gu Q., Hass P.E., Heldens S.,
RA
     Huang A., Kim H.S., Klimowski L., Jin Y., Johnson S., Lee J.,
RA
     Lewis L., Liao D., Mark M.R., Robbie E., Sanchez C., Schoenfeld J.,
RA
     Seshagiri S., Simmons L., Singh J., Smith V., Stinson J., Vagts A.,
RA
     Vandlen R.L., Watanabe C., Wieand D., Woods K., Xie M.-H.,
     Yansura D.G., Yi S., Yu G., Yuan J., Zhang M., Zhang Z., Goddard A.D.,
RA
RA
     Wood W.I., Godowski P.J., Gray A.M.;
RT
     "The secreted protein discovery initiative (SPDI), a large-scale
RT
     effort to identify novel human secreted and transmembrane proteins: a
RT
     bioinformatics assessment.";
RL
     Genome Res. 13:2265-2270(2003).
RN
RP
     NUCLEOTIDE SEQUENCE [LARGE SCALE MRNA].
RC
     TISSUE=Brain;
RX
     MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA
     Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA
     Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA
     Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RΑ
     Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA
     Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA
     Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA
     Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA
     Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA
     Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA
     Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA
     Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA
     Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
     Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA
RA
     Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
     Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA
RA
     Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA
     Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT
     "Generation and initial analysis of more than 15,000 full-length human
RT
     and mouse cDNA sequences.";
```

```
Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
CC
     -! - FUNCTION: Binds to WNT proteins and inhibits their activities. May
CC
         be involved in mesoderm segmentation.
CC
     -!- SUBCELLULAR LOCATION: Secreted protein.
CC
     -!- SIMILARITY: Contains 5 EGF-like domains.
CC
     -!- SIMILARITY: Contains 1 WIF domain.
CC
     CC
     Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC
     Distributed under the Creative Commons Attribution-NoDerivs License
CC
     ______
DR
     EMBL; AF122922; AAD25402.1; -; mRNA.
DR
     EMBL; AY358344; AAQ88710.1; -; mRNA.
DR
     EMBL; BC018037; AAH18037.1; -; mRNA.
     PIR; A59180; A59180.
DR
     HSSP; P05107; 1L3Y.
DR
DR
     Ensembl; ENSG00000156076; Homo sapiens.
DR
     HGNC; HGNC:18081; WIF1.
     MIM; 605186; gene.
DR
     GO; GO:0007165; P:signal transduction; NAS.
DR
DR
     InterPro; IPR006210; EGF.
DR
     InterPro; IPR000742; EGF 3.
DR
     InterPro; IPR013111; EGF extracell.
     InterPro; IPR006209; EGF like.
DR
DR
     InterPro; IPR013032; EGF like reg.
DR
     InterPro; IPR003306; WIF.
     InterPro; IPR013309; WIF1.
DR
DR
     Pfam; PF00008; EGF; 2.
     Pfam; PF07974; EGF_2; 3.
DR
DR
     Pfam; PF02019; WIF; 1.
DR
     PRINTS; PR01901; WIFPROTEIN.
DR
     SMART; SM00181; EGF; 5.
DR
     SMART; SM00469; WIF; 1.
DR
     PROSITE; PS00022; EGF 1; 5.
DR
     PROSITE; PS01186; EGF 2; 4.
DR
     PROSITE; PS50026; EGF 3; 5.
     PROSITE; PS50814; WIF; 1.
DR
KW
     Developmental protein; EGF-like domain; Glycoprotein; Repeat; Signal;
KW
     Wnt signaling pathway.
FT
     SIGNAL
                                   Potential.
                  1
                        28
     CHAIN
FT
                  29
                        379
                                   Wnt inhibitory factor 1.
FT
                                   /FTId=PRO_000007775.

        DOMAIN
        38
        176

        DOMAIN
        177
        208

        DOMAIN
        209
        240

FT
                                   WIF.
                                  EGF-like 1.
FT
FT
                                 EGF-like 2.
              241 272
FT
    DOMAIN
                                EGF-like 3.
    DOMAIN 273 304 EGF-like 4.

DOMAIN 305 336 EGF-like 5.

CARBOHYD 88 88 N-linked (GlcNAc. . .) (Potential).

CARBOHYD 245 245 N-linked (GlcNAc. . .) (Potential).

DISULFID 177 186 Potential.
FT
FT
FT
  · CARBOHYD
FT
               177
182
FT
FT
     DISULFID
                        192
                                  Potential.
                                 Potential.
FT
     DISULFID . 198
                        200
              209
                                 Potential.
FT
     DISULFID
                        218
FT
              214 · 224
                                 Potential.
    DISULFID
FT
    DISULFID
                 230
                        232
                                 Potential.
    DISULFID 241 250
FT
                                 Potential.
FT
     DISULFID
              246 256
                                 Potential.
FT
     DISULFID
              262 264
                                 Potential.
FT
     DISULFID 273 282
                                  Potential.
FT
     DISULFID 278 288
                                  Potential.
FT
     DISULFID
                 294
                        296
                                   Potential.
```

```
FT
    DISULFID
             305
                           Potential.
                   314
FT
    DISULFID
             310
                   320
                           Potential.
FT
    DISULFID
             326
                   328
                           Potential.
FT
    CONFLICT
                           Q \rightarrow K (in Ref. 3).
FT
    CONFLICT
             178
                   178
                           Q -> L (in Ref. 1).
SO
    SEOUENCE
            379 AA;
                    41528 MW; 32ADFA6644833E9D CRC64;
 Query Match
                     100.0%;
                            Score 2149; DB 1;
                                           Length 379;
                           Pred. No. 3.9e-158;
 Best Local Similarity
                    100.0%;
 Matches 379; Conservative
                          0; Mismatches
                                        0;
                                           Indels
                                                    0;
         1 MARRSAFPAAALWLWSILLCLLALRAEAGPPQEESLYLWIDAHQARVLIGFEEDILIVSE 60
Qу
           1 MARRSAFPAAALWLWSILLCLLALRAEAGPPQEESLYLWIDAHQARVLIGFEEDILIVSE 60
Db
       61 GKMAPFTHDFRKAQQRMPAIPVNIHSMNFTWQAAGQAEYFYEFLSLRSLDKGIMADPTVN 120
Qу
           61 GKMAPFTHDFRKAQQRMPAIPVNIHSMNFTWQAAGQAEYFYEFLSLRSLDKGIMADPTVN 120
Db
        121 VPLLGTVPHKASVVQVGFPCLGKQDGVAAFEVDVIVMNSEGNTILQTPQNAIFFKTCQQA 180
Qу
           Db
        121 VPLLGTVPHKASVVQVGFPCLGKQDGVAAFEVDVIVMNSEGNTILOTPONAIFFKTCOOA 180
        181 ECPGGCRNGGFCNERRICECPDGFHGPHCEKALCTPRCMNGGLCVTPGFCICPPGFYGVN 240
Qу
           181 ECPGGCRNGGFCNERRICECPDGFHGPHCEKALCTPRCMNGGLCVTPGFCICPPGFYGVN 240
Db
        241 CDKANCSTTCFNGGTCFYPGKCICPPGLEGEQCEISKCPQPCRNGGKCIGKSKCKCSKGY 300
Qy
           241 CDKANCSTTCFNGGTCFYPGKCICPPGLEGEQCEISKCPQPCRNGGKCIGKSKCKCSKGY 300
Db
        301 QGDLCSKPVCEPGCGAHGTCHEPNKCQCQEGWHGRHCNKRYEASLIHALRPAGAQLRQHT 360
Qу
           301 QGDLCSKPVCEPGCGAHGTCHEPNKCQCQEGWHGRHCNKRYEASLIHALRPAGAQLRQHT 360
Db
        361 PSLKKAEERRDPPESNYIW 379
Qу
           Db
        361 PSLKKAEERRDPPESNYIW 379
<!--EndFragment-->
```